AUTHOR INDEX

Arisz, P.W. 27

Barrere, B. 297 Beaupere, D. 147 Bertocchi, C. 167 Bischoff, M. 1, 9 Boon, J.J. 27 Botto, R.E. 27 Brade, H. 223 Bretzke, C. 1 Bruneteau, M. 155 Bubb, W.A. 173 Buleon, A. 115

Calvo-Flores, F.G. 271 Comber, R.N. 245 Compston, C.A. 283

Desai, T. 59 Doutheau, A. 297 Driguez, P.-A. 297 D'Souza, F.W. 223 Dunshee, D.A. 245

Evers, B. 335 Ewing, D.F. 147

Falshaw, R. 127 Feather, M.S. 257 Fiema, J. 155 Friedrich, J.D. 245 Furneaux, R.H. 127, 185

Gigg, J. 59 Gigg, R. 59 Glinsky, G.V. 257 Grue, M.R. 311 Grzeszczyk, B. 49 Hagen, B. 9 Hasegawa, A. 137 Hasegawa, M. 161 Hemmingson, J.A. 185 Hindsgaul, O. 283 Holmberg, L. 213

Isac-García, J. 271 Ishida, H. 137 Isogai, A. 161

Jegou, D. 115 Jeong, L.S. 103

Khan, S.H. 283 Kiso, M. 137 Knutsen, S.H. 167 Köll, P. 1, 9 Kopf, J. 1, 9 Kosma, P. 223

Lahaye, M. 115 Lim, B.B. 103 Lindberg, B. 213 Lindqvist, B. 213

Mackenzie, G. 147 Magnusson, G. 79 Marquez, V.E. 103 Martín-Zamora, E. 59 Messer, M. 173 Michel, G. 155 Miller, I.J. 127 Mischnick, P. 335 Morf, M. 9 Morgan, K.R. 185 Mossine, V.V. 257 Murano, E. 167 Onabe, F. 161 Ozawa, K. 137

Palcic, M.M. 283 Parolis, H. 311, 323 Parolis, L.A.S. 311, 323 Pastorova, I. 27 Petty, S.L. 245

Quash, G. 297

Rizzo, R. 167 Robles-Díaz, R. 271 Rouhier, P. 155

Santoyo-González, F. 271 Satomura, S. 137 Secrist III, J.A. 245 Stanley, R.A. 185 Stasik, I. 147 Taneda, Y. 173 Thiem, J. 335 Toffanin, R. 167 Tsuji, Y. 173

Urashima, T. 173 Uzan, R. 147

Vargas-Berenguel, A. 271

Wadouachi, A. 147 Whittaker, D.V. 323

Yamagata, Y. 137

Zamojski, A. 49 Zhiyuan, Z. 79 Ziegler, T. 195 Zurzycka, A. 155

CARBOHYDRATE RESEARCH

SUBJECT INDEX

- 6'-N-Acetylglucosaminyllactose, studies of the one- and two-dimensional ¹H and ¹³C NMR spectra, 173
- N-Acetyl glucosaminyltransferase III activity, synthesis of a di-O-methylated pentasaccharide for use in the assay of, 283
- Acyclic carbohydrates, 1,3-parallel O//O interactions in, the crystal and molecular structures of some heptitols and heptitol heptaacetates, 9
- Agaroid hydroxyl groups, chemical methylation, 127
- Algae, 115
- Algae, detection by ¹³C NMR spectroscopy of cellulose in the cell wall of some red, 167
- Alkali-soluble glucans from the mycelium of Aspergillus giganteus mut. alba, structural characterization, 155
- Amadori compounds (1-amino-1-deoxy-D-fructose derivatives) derived from a series of aliphatic ω-amino acids, the preparation and characterization of some, 257
- (1-Amino-1-deoxy-p-fructose derivatives) derived from a series of aliphatic ω-amino acids, the preparation and characterization of some Amadori compounds, 257
- 5-Aminopentyl glycoside of β-D-Galp-(1 → 4)-β-D-GlcpNAc-(1 → 3)-L-Fucp and fragments thereof related to glycopeptides of human Christmas factor and the marine sponge Microciona prolifera, synthesis, 195
- α-Amylases, human, synthesis of p-nitrophenyl 6⁵- and/or 4⁵-O-glycosyl-α-maltopentaosides for the differential assay of, 137
- Aspergillus giganteus mut. alba, structural characterization of alkali-soluble glucans from the mycelium of, 155
- Benzyl 7-O-allyl-2,3-O-isopropylidene-4-O-pmethoxybenzyl-L-glycero-α-to-manno-heptopyranoside, synthesis as a versatile LD-ManHepp derivative, 49

- Capsular polysaccharide of E. coli K84, structural elucidation, 323
- Capsular polysaccharide of E. coli K103, structural investigation using bacteriophage degradation and NMR spectroscopy, 311
- Cell wall, 115
- Cell wall of some red algae, detection of cellulose by ¹³C NMR spectroscopy, 167
- Cellulose, 115
- Cellulose char structure: a combined analytical Py-GC-MS, FTIR, and NMR study, 27
- Cellulose in the cell wall of some red algae, detection by ¹³C NMR spectroscopy, 167
- Chemical methylation of agaroid hydroxyl groups, 127
- Chiral myo-inositol phosphates and phosphorothioates, synthesis from 1D-3,6-O-benzyl-1,2-O-isopropylidene-myo-inositol, 59
- Chitin and chitosan, molecular mass distribution, 161
- Chitosan and chitin, molecular mass distribution, 161
- Chlamydia-specific Kdo trisaccharides epitope, synthesis of carboxyl-reduced analogues, 223 Chlorophyaceae, 115
- Crystal and molecular structure of 1-deoxy-1nitro-p-altritol, 1,3-parallel C//O interactions in acyclic carbohydrates, 1
- ¹³C Solid-state NMR study of ion-exchange resins derived from natural polysaccharides, a, 185
- Cyclomalto-oligosaccharides pivaloylation and diphenylacetylation, 271
- 2-Deoxy-α-D-arabino-hexopyranosyl phosphate and 2-deoxy-maltooligosaccharides, synthesis with phosphorylase, 335
- Deoxyglobotrioses, synthesis of double-chain bis-sulfone neoglycolipids of the 2"-, 3"-, 4"-, and 6"-, 79
- 2-Deoxy-maltooligosaccharide (2-deoxy-amylose), enzymatic synthesis with phosphorylase

of 2-deoxy- α -D-arabino-hexopyranosyl phosphate and a, 335

3-Deoxy-p-manno-2-octulosonic acid derivatives related to the Chlamydia-specific Kdo trisaccharide epitope, synthesis, 223

1-Deoxy-1-nitro-D-altritol, crystal and molecular structure, 1,3-parallel C//O interactions, 1

- 1D-3,6-Di-O-benzyl-1,2-O-isopropylidene-myoinositol, synthesis of chiral myo-inositol phosphates and phosphorothioates from, 59
- 2,3-Difluorofuranose with the D-lyxo configuration. An intramolecular rearrangement of methyl 5-O-benzoyl-2,3-dideoxy-2,3-difluoro-D-lyxofuranoside observed during the attempted synthesis of 1-(2,3-dideoxy-2,3-difluoro-β-D-lyxofuranosyl)thymine, synthesis of a, 103
- Disaccharides: syntheses and anti-HIV testing of thiokojibiose octaacetate, thionigerose, and thiomaltose, α -(1 \rightarrow 2)-, α -(1 \rightarrow 3)-, and α -(1 \rightarrow 6)-thioglycosidic, 245
- Double-chain bis-sulfone neoglycolipids of the 2"-, 3"-, 4"-, and 6"-deoxyglobotrioses, synthesis, 79
- E. coli O20: K84: H26 capsular polysaccharide, structural elucidation, 323
- E. coli O101:K103:H⁻ capsular polysaccharide, structural investigation using bacteriophage degradation and NMR spectroscopy, 311
- Epichlorohydrin and polysaccharides, model substances with non-cyclic substituents for the reaction between, 213
- FTIR, PY-GC-MS, and NMR study of cellulose char structure, 27
- β-D-Gal p-(1 → 4)-β-D-Glc pNAc-(1 → 3)-L-Fuc p, synthesis of the 5-aminopentyl glycoside of, 195
- Glucans from the myclium of Aspergillus giganteus mut. alba, structural characterization of alkali-soluble, 155
- Glycopeptides of human Christmas factor and the marine sponge Microciona prolifera, synthesis of the 5-aminopentyl glycoside of β -D-Gal p-(1 \rightarrow 4)- β -D-Glc pNAc-(1 \rightarrow 3)-L-Fuc p and fragments thereof related to, 195
- Goat (Capra hircus) colostrum, studies of the neutral trisaccharides, 173
- Heptitols and heptitol heptaacetates, the crystal and molecular structures of some, 9
- Heptopyranoside, synthesis of benzyl 7-O-allyl-2,3-O-isopropylidene-4-O-p-methoxybenzyl-

- L-glycero-α-D-manno-, a versatile LD-man-Hepp derivative, 49
- myo-Inositol phosphates and phosphorothioates, synthesis from 1D-3,6-di-O-isopropylidene-myo-inositol of chiral, 59
- Ion-exchange resins derived from natural polysaccharides, a ¹³C solid-state NMR study of, 185
- Kdo trisaccharide epitope, synthesis of carboxyl-reduced analogues of the Chlamydiaspecific, 223
- α-Maltopentaosides, p-nitrophenyl 6⁵- and/or 4⁵-O-glycosyl-, for the differential assay of human α-amylases, synthesis, 137
- Methylation of agaroid hydroxyl groups, chemical, 127
- Methyl α-D-glucopyranoside derivatives with non-cyclic substituents, synthesis as model compounds for the reaction between epichlorohydrin and polysaccharides, 213
- Molecular mass distribution of chitin and chitosan, 161
- Neoglycolipids of the 2"-, 3"-, 4"-, and 6"-deoxyglobotrioses, synthesis of double-chain bis-sulfone, 79
- NMR, PY-GC-MS, and FTIR study of cellulose char structure, 27
- NMR study of ion-exchange resins derived from natural polysaccharides, a ¹³C solid-state, 185
- 1,3-Parallel C//O interactions in acyclic carbohydrates: the crystal and molecular structure of 1-deoxy-1-nitro-p-altritol, 1
- 1,3-Parallel O//O interactions in acyclic carbohydrates, the crystal and molecular structures of some heptitols and heptitol heptaacetates, 9
- Pentasaccharide for use in the assay of N-acetyl glucosaminyltransferase III activity, synthesis of a di-O-methylated, 283
- Phosphorylase, enzymatic synthesis of 2-deoxyα-D-arabino-hexopyranosyl phosphate and 2-deoxy-maltooligosaccharides with, 335
- Pivaloylation and diphenylacetylation of cyclomalto-oligosaccharides, 271
- Polysaccharide, structural elucidation of the E. coli K84 capsular, 323
- Polysaccharide, structural investigation of the E. coli K103 capsular, using bacteriophage degradation and NMR spectroscopy, 311

Polysaccharides and epichlorohydrin, model substances with non-cyclic substituents for the reaction between, 213

Polysaccharides, a ¹³C solid-state NMR study of ion-exchange resins derived from natural, 185

Potential inhibitors of sialidase from Influenza virus, 297

Py-GC-MS, FTIR, and NMR study of cellulose char structure, 27

Rearrangement of methyl 5-O-benzoyl-2,3-dideoxy-2,3-difluoro-D-lyxofuranoside observed during the attempted synthesis of 1-(2,3-dideoxy-2,3-difluoro-β-D-lyxofuranosyl)thyminesynthesis of a, 2,3-difluorofuranose with the D-bxo configuration. An intramolecular, 103

Reducing sugars, stereochemical control in the formation of thiazolidines from O-protected, 147

Selective pivaloylation and diphenylacetylation of cyclomalto-oligosaccharides, 271

Stereochemical control in the formation of thiazolidines from O-protected reducing sugars, 147

Synthesis of transition-state analogues as potential inhibitors of sialidase from *Influenza* virus, 297

Thiazolidines, stereochemical control in formation from O-protected reducing sugars, 147 Thioglycosidic disaccharides: syntheses and anti-HIV testing of thiokojibiose octaacetate, thionigerose, and thiomaltose, α - $(1 \rightarrow 2)$ -, α - $(1 \rightarrow 3)$ -, and α - $(1 \rightarrow 6)$ -, 245

Thiokojibiose octaacetate, thionigerose, and thiomaltose, α -(1 \rightarrow 2)-, α -(1 \rightarrow 3)-, and α -(1 \rightarrow 6)-, thioglycosidic disaccharides: syntheses and anti-HIV testing of, 245

Thiomaltose, α - $(1 \rightarrow 2)$ -, α - $(1 \rightarrow 3)$ -, and α - $(1 \rightarrow 6)$ -thioglycosidic disaccharides: syntheses and anti-HIV testing of thiokojibiose octaacetate, thionigerose, and, 245

Thionigerose, and thiomaltose, α - $(1 \rightarrow 2)$ -, α - $(1 \rightarrow 3)$ -, and α - $(1 \rightarrow 6)$ -thioglycosidic disaccharides: syntheses and anti-HIV testing of thiokojibiose octaacetate, 245

Transition state analogue as potential inhibitors of sialidase, 297

Trisaccharides of goat (Capra hircus) colostrum, studies of the neutral, 173

Ulva lactuca, 115

Versatile LD-manHepp derivative, synthesis of benzyl 7-O-allyl-2,3-O-isopropylidene-4-Op-methoxybenzyl-L-glycero-α-D-manno-heptopyranoside, 49

Xyloglucan, 115